FULGOR MILANO PRISLISTE FEBRUAR 2025

Distributør Scandinavia: Siljander, Salhussvingen 27, N-5107 Salhus, Tlf +47 55 53 44 00 post@siljander.no - www.siljander.no

epost:

SERIES & FEATURES	MODEL	VEILEDENDE UTSALGSPRIS INKL MVA
PROFESSIONAL INDOOR COOKERS WITH MULTIFUNCTION OVEN		
STAINLESS STEEL		
Sofia, 48" free standing cooker, with Creactive control system, 6 Crescendo dual gas brass burners 5 kW each, and 1 Cast iron Teppan Yaki plate, 2 multifunction self cleaning ovens (30"+18"), Double fan (30"), Classic Pizza, A energy class, cold door with soft closing system	FSRC 4807 2P MK 2F X	197 900
Sofia, 48" free standing cooker, with Creactive control system, 6 Crescendo dual gas brass burners 5 kW each, and 1 Cast iron Teppan Yaki plate, 2 multifunction self cleaning ovens (30"+18"), Double fan (30"), Classic Pizza, A energy class, cold door with soft closing system	FSRC 4807 2P MK 2F X/2	197 900
Sofia, 36"free standing cooker, 6 Crescendo dual gas brass burner 5 kW each, double fan multifunction self cleaning oven, A energy class, cold door with soft closing system	FSRC 3606 P MG MK 2F X	119 900
Sofia, 36" free standing cooker, 5 induction cooking zones (1 Dual Max), double fan multifunction self cleaning oven, A energy class, cold door with soft closing system	FSRC 3605 P MI MK 2F X	134 900
Sofia, 30" free standing cooker, 4 induction cooking zones , double fan multifunction self cleaning oven,A energy class, cold door with soft closing system	FSRC 3004 P MI MK 2F X	109 900
MATTE BLACK STEEL		
Sofia, 48" free standing cooker with Modular control system, 6 Crescendo dual gas brass burners 5 kW each and 1 Gas Teppan Yaki cast iron plate, 2 multifunction self cleaning ovens (30"+18"), Double fan (30"), Classic Pizza, A energy class, cold door with soft closing system	FSRC 4807 2P MK 2F MBK	203 900
Sofia, 48" free standing cooker with Modular control system, 6 Crescendo dual gas brass burners 5 kW each and 1 Gas Teppan Yaki cast iron plate, 2 multifunction self cleaning ovens (30"+18"), Double fan (30"), Classic Pizza, A energy class, cold door with soft closing system	FSRC 4807 2P MK 2F MBK/2	203 900
36" (91,44 cm) ,6 Crescendo dual gas brass burners 5 kW , multifunction self cleaning oven, Double fan, A energy class, cold door with soft closing system	FSRC 3606 P MG MK 2F MBK	125 900
36" (91,44 cm), 5 induction cooking zones, multifunction self cleaning oven, Double fan, A energy class, cold door with soft closing system	FSRC 3605 P MI MK 2F MBK	142 900
30" (76,2 cm), 4 induction cooking zones, multifunction self cleaning oven, Double fan, A energy class, cold door with soft closing system	FSRC 3004 P MI MK 2F MBK	117 900
Sofia, 90 cm.free standing cooker, 5 induction cooking zones (1 Dual Max), double fan multifunction self cleaning oven, A energy class, cold door with soft closing system inox	FSRC 9005 P MI MK 2F X	142 900
Sofia, 90 cm.free standing cooker, 5 induction cooking zones (1 Dual Max), double fan multifunction self cleaning oven, A energy class, cold		142 900
door with soft closing system nero opaco COOKERS WITH GAS OVEN	FSRC 9005 P MI MK 2F MBK	
STAINLESS STEEL	F0D0 2000 00 FD 2F V	442.000
Sofia, 36 free standing cooker, 6 Crescendo dual gas brass burner 5 kW each, double fan gas oven, cold door with soft closing system, MATTE BLACK STEEL	FSRC 3606 GG ED 2F X	113 900
Sofia, 36 free standing cooker, 6 Crescendo dual gas brass burner 5 kW each, double fan gas oven, cold door with soft closing system	FSRC 3606 GG ED 2F MBK	130 900
BUILT-IN APPLIANCES STAINLESS STEEL		
WALL OVEN		
30" Built-in wall double fan self-cleaning multifunction oven, real pizzeria function, electronic display and knobs, cold door with soft closing system, Airfry system, stainless steel finishing COMPACT & SPECIAL	FSO 300 P MK 2F X	77 900
30", Combi Steam Oven; Steam, Fan assisted and grill cooking programs, Easy Acces TEM with TFT, Preset and customizables recipes, meat probe, Stainless steel interior and accessories, 1,2 l. water tank, Steam recovery system AIRFRY	FPCSO 300 TEM X	56 900
30" Combi Microwave oven, Microwave, fan and grill cooking, Easy Acces TEM with TFT , Preset and customizables recipes , Stainless steel interior and accessories , round griddle, glass turntable, AIRFRY AND START DOOR	FPCMO 300 TEM X	50 900
45 cm Coffee machine, A energy class, touch TFT cntrol, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker	FCM 4500 TF BK	50 900
30" PRO KIT for coffee machine FCM 450 TF BK	F6PTK30BC	12 900
WARMING DRAWER		
30" Warming drawer, fan assisted, low temperature cooking up to 85°C , anti- slippery interior, stainless steel front and handle RANGE TOP	FPWD 3024 X	23 900
36" Slot-in hob, 6 Crescendo dual gas brass burner 5 kW each, black enamelled steel surface, professional-grade flat cast iron pot rests, steel knobs, stainless steel finishing	FSRT 3606 G X	67 900
30" Slot-in hob,4 induction plate, stainless steel finishing	FSRT 3004 ID X	62 900
30" Slot-in hob,5 induction plate, stainless steel finishing	FSRT 3605 ID X	79 900
VENTILATION STAINLESS STEEL		
48", Wall hood, 2 motors, touch control, remote control, 2 LED side bars, stainless steel fat baffle filters with oil recovery, A energy class, air output up to 1453 m3/h with 4 speed levels, sound level from 48 to 75 dBA, non-return air flow flap, stainless steel finishing	FPRHD 482 TC X	37 900
36", Wall hood, 2 motors, touch control, remote control, 2 LED side bars, stainless steel fat baffle filters with oil recovery, A energy class, air output up to 1453 m3/h with 4 speed levels, sound level from 48 to 75 dBA, non-return air flow flap, stainless steel finishing	FPRHD 362 TC X	31 900
Chimney kit for wall hood mod. FPRHD 482 TC X	FPRHD 482 KIT X	7 900
Kit estensione camino per cappa FPRHD 362 TC X MATTE BLACK STEEL	FPRHD 362 KIT X	7 400
48", Wall hood, 2 motors, touch control, remote control, 2 LED side bars, stainless steel fat baffle filters with oil recovery, A energy class, air output up to 1453 m3/h with 4 speed levels, sound level from 48 to 75 dBA, non-return air flow flap, matte black steel finishing	FPRHD 482 TC MBK	41 900
36",Wall hood, 2 motors, touch control, remote control, 2 LED side bars, stainless steel fat baffle filters with oil recovery, A energy class, air output up to 1453 m3/h with 4 speed levels, sound level from 48 to 75 dBA, non-return air flow flap, matte black steel finishing	FPRHD 362 TC MBK	35 900
Chimney kit for wall hood mod. FPRHD 482 TC MBK	FPRHD 482 KIT MBK FPRHD 362 KIT MBK	10 900
Chimney kit for wall hood mod. FPRHD 362 TC MBK DISHWASHING	FEKUD 905 KII MRK	10 900
STAINLESS STEEL		
60 cm wide, dishwasher, with regular opening, A+++ energy efficiency class, 10 programs, 3 baskets (upper and lower in stainless steel), display, external spotlight, stainless steel door and handle	FPDW 82103 XX	35 900
PROFESSIONAL OUTDOOR		

1930 on taggs but in Exercision 4 Authorized and College of the Control College of the College			
Secretary Secr	GAS BARBECUES		
20 cm Inges National Contents and State March 1, 25 March 20 March 1, 20 Mar		FOBQ 1000 G X	48 900
### ### ### ### ### ### ### ### ### ##	80 cm large built-in barbecue, 3 tubular gas burner 3,5 kW each, 3 Stainless steel griddles, service battery for ignition, stainless steel knobs,	FOBQ 803 G X	39 900
20 on targe balls in barbours, 2 labeling are barrer 35.85 W seek, 2 Services service yields, environs beliefly for griffort, shelmers service from the processor of the Conversation of	60 cm large built-in barbecue, 2 tubular gas burner 3,5 kW each, Stainless steel Teppan Yaki plate, service battery for ignition, stainless steel	FOBQ 601 TY G X	32 900
Table with theremores, to seek for 100-00 O.S. Table with theremores is reach for 100-00 O.S. Table with the second in the second of 100-00 O.S. To the for 100-00 O.S. To the for 100-00 O.S. Love 16 or 100-00 O.S. Love 17 or 100-00 O.S. Love 17 or 100-00 O.S. Love 17 or 100-00 O.S. Love 18 or 100-00 O.S. Lo	60 cm large built-in barbecue, 2 tubular gas burner 3,5 kW each, 2 Stainless steel griddles, service battery for ignition, stainless steel knobs,	FOBQ 602 G X	32 900
Test to with recommodate, concest to PORGO SEC NO. (PORGO 14, DOX) X 25.00 Test to with recommodate, concest to PORGO 1500 X 2 5.00 Test to with recommodate, concest to PORGO 1500 X 2 5.00 Test to with recommodate, concest to PORGO 1500 X 2 5.00 Test to test to PORGO 1500 X 2 5.00			
Tail us with exercementary, in coast, for FDRG 0000 X FDRG 10, 1000 X FDRG 10,		FOBQ HL 1000 X	29 900
Low 16 to FORD 1200 D.X FORD 1200 D.X FORD 1200 D.X 1600 D.	Tall lid with thermometer, to roast, for FOBQ 800 G X	FOBQ HL 800 X	25 900
Loss is in FORD 2005 632091 FORD 100 CR 2005 100 CR 2005 632091 FORD 100 CR 2005 632091	Tall lid with thermometer, to roast, for FOBQ 602/601		23 900
Leve is or PGDG 0100001 MATTER LACK STEEL. MATTER LACK STEEL. MATTER LACK STEEL. MATTER LACK STEEL. 100 on high publish between, 4 showled gas berind 3,5 kW seld, Processoroing ade oast ion in typ op pade and gaster, service bettery for grainer, services and process. Tell M with thermoreler, to coast, for FOGD 1000 C MBK Tell M with thermoreler, to coast, for FOGD 1000 C MBK All concerns for for 1000 (1000 C MBK Lack SEE SECOND 1000 C MB	Low lid for FOBQ 1000 G X	FOBQ LL 1000 X	18 900
TO CON large half-in Evaborace. A shadlar gas Exernal 3.5 M Words. Professional garder and profession service ballery for griften, stateries and circle. Strony and for Nij gas (with norther evoluted as accessorates for IPC conversion) 80 cm large half-in Evaborace. A shadlar gas bear 15 M West 1.5 million of the Conversion of IPC conversion) 80 cm large half-in Evaborace. A shadlar gas bear 15 M West 1.5 million of 100 cm large half-in Evaborace. A shadlar gas bear 15 M West 1.5 million of 100 cm large half-in Evaborace. A shadlar gas bear 15 M West 1.5 million of 100 cm large half-in Evaborace. A shadlar gas bear 15 M West 1.5 million of 100 cm large half-in Evaborace. A shadlar gas large with a shadlar gas 1.5 million of 100 cm large half-in Evaborace. A shadlar gas 1.5 million of 100 cm large half-in Evaborace. A shadlar gas 1.5 million of 100 cm large half-in Evaborace. A shadlar gas 1.5 million of 100 cm large half-in Evaborace. A shadlar gas 1.5 million Mest 2.7 million	Low lid for FOBQ 800 G X		16 900
100 on toggs butten benchmark a Anchorar gas burner 1,5 MV such Performance space cast nor fly tog paths and growths as services butten for services and services		FOBQ LL 600 X	14 900
### STATE CONTRIBUTION OF THE WAY AND ADDRESS OF THE CONVENTION OF THE WAY ADDRESS OF THE CONVENTION OF THE WAY ADDRESS OF THE CONVENTION OF THE WAY ADDRESS OF THE W			
A	ignition, stainless steel knobs, factory set for NG gas (with nozzles included as accessories for LPG conversion)	FOBQ 1000 G MBK	50 900
Tell to With Partnermenter, to reset for PGR0 1000 G MBK	set for NG gas (with nozzles included as accessories for LPG conversion)	FOBQ 803 G MBK	41 900
Law come left for FORQ 300 AMRK		FORO III 4000 MRK	20.000
tablicover list in FORD 60 MBK Lox owner list in FORD 60 MBK Lox owner list in FORD 60 MBK 1990 CUSTER CONCEPT ORBIDINA BLACK CLASS 4 SORD LIST BLACK CLASS 4 SORD LIST BLACK CLASS 5 FORD LIST BLACK CLASS 5 FORD LIST BLACK CLASS 5 FORD MBK LIST BLACK CLASS			
COURSITY AS A STORY OF CORD (35 MBK) COURS A statement but with ARPRY 75 cm Control steam overs, A++ energy class or 17 dilegals, pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class (17 dilegals), pass, but control steam overs, A++ energy class, A++ ene			
CUSTER CONCETT OSSIDIA BLACK CLASS OVENS a above but with AURITYY 75 cm Combi steam noven, A++ energy class FT if dies and the combination of			
### COMBINET COMPANY CONTROL AND PROCESS TEMPORAL STATES A		I ODG EL 000 IVIDIO	19 900
as above but with AIRFRY for Combi steam over, A++ energy clear TFT depuly, Easy Access TEM, Perset and customizables reopes, ment probe, Stainless steel for Combi Microwave over, A++ energy clear TFT depuly, Easy Access TEM, Perset and customizables reopes, stainless steel inferior and accessories, found grided, galax bursteel with AIRFRY for Combi Microwave over, A++ energy clear TFT depuly, Easy Access TEM, Perset and customizables reopes, Stainless steel steel inferior and accessories, found grided, galax bursteel with AIRFRY for Combi steem over, A++ energy clear TFT depuly, Easy Access TEM, Perset and customizables reopes, steel probe, Stainless steel inferior and accessories, found grided galax bursteel with AIRFRY for Combined TFT depuly, Easy Access TEM, Perset and customizables reopes, ment probe, Stainless steel inferior and accessories, Stainless that with AIRFRY as above that with AIRFRY for Combined TFT depuly, Easy Access TEM, Perset and customizables reopes, ment probe, Stainless steel inferior and accessories, Stainless steel book interest. Castless gridery, steel temple, fired opening door A temple chairs, A energy class, book election companior and probability of the Air Combined Trainless and accessories, and accessories, steel probability of the Air Combined Trainless and accessories, and access			
as above but with AIRFEY 75 om Combi steam oven, A+- emergy class IFT display, Easy Access TEM, Preset and customizable recipes, meat prote, Statileus steel 75 om Combi Microwere oven, Microwere, first and gill coulting, Easy Access TEM, Preset and customizables recipes, Statileus steel 80 om Combi Microwere oven, Microwere, first and gill coulting, Easy Access TEM, Preset and customizables recipes, Statileus steel 80 om Combi Microwere oven, Microwere, first and gill coulting, Easy Access TEM, Preset and customizables recipes, Statileus steel 80 om Combi steam oven, A+- emergy class TT display, Easy Access TEM, Preset and customizables recipes, aneat protee, Statileus steel 80 om Combi steam oven, A+- emergy class TT display, Easy Access TEM, Preset and customizables recipes, aneat protee, Statileus steel 80 om Combi steam oven, A+- emergy class TT display, Easy Access TEM, Preset and customizables recipes, aneat protee, Statileus steel 80 om Combi steam oven, A+- emergy class TT display, Easy Access TEM, Preset and customizables recipes, aneat protee, Statileus steel 80 om Combi steam oven, A+- emergy class TT display, Easy Access TEM, Preset and customizables recipes, aneat protee, Statileus steel 80 om NARCHEST STATE AND			
as above but with AIRFEY To on Combis steam oven, A++ energy class FFCL OF 515 TEMB K 44 90 To on Combis Microwave oven, Microwave, In and gift cooking, Eaps Access TEM, Preset and outsomizables recipes, meat probe, Statified Stat		FCLO 9615 TEM 2F BK	48 900
Tensor and apositionis. Sham recovery systems WITH ARFERY FOLINO 7510 TEM BK 39 90 50 cm Combi Microwave over, Microwave, fam and gill cooking, Essay Access TEM Prest with TET. Preset and customizables recipes. Starless shell retained and selection and secondary and the temporary of the selection and accessories. Trouding dides, glass brinable WITH ARFERY 50 cm Combi steam over, A*+ emergy class. In the selection and secondary Access TEM. Prest and customizables recipes. Real probe. Starless steel recipies and secondary and accessories. The selection and secondary and accessories. The selection and secondary and accessories. The selection and secondary access to the selection and secondary and accessories. The selection and secondary access to the secondary			41 900
steel interior and accessories, "Joury" griddle, glass burstable WTH AIRFRY 50 cm Cortibi steam oven, A++ emergy class FT display, say Access TEM, Persea and cautomaticals recipes, meat probe, Stainless steel interior and accessories, Steam recovery system WTH AIRFRY 8 as above but with AIRFRY FCLO 6215 FEM BK 5 3500 6 COMBISET 49 8 as above but with AIRFRY FCLO 6215 FEM BK 5 3500 COMBISET 49 8 as above but with AIRFRY FCLO 6215 FEM BK 5 3500 COMBISET 49 8 as above but with AIRFRY FCLOMO 4500 TEM BK 5 5500 COMBISET SPECIALS 45 cm Wirne Cellar, fouch control, temperature range from 45°C to + 22°C, inner lighting, front opening door 45 cm Coffee machine, A energy class, bosh FTF critical, coffee beans grinder, water tank, milk frother, cappuscino, coffee and hot beverage maker 45 cm Blast chiller, fouch TFT controls, temperature range from 45°C to + 25°C, inner lighting, front opening door 45 cm Coffee machine, A energy class, bosh TFT critical, coffee beans grinder, water tank, milk frother, cappuscino, coffee and hot beverage maker 45 cm Blast chiller, fouch TFT controls, temperature range from -50°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel from from 50°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel from from 50°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel from 50°C (6 kBs Ed.) 30°C and 30°C		FCLSO 7510 TEM BK	44 900
interfor and accessories, Steam recovery system WITH AIRPRY As a above but		FCLMO 7510 TEM BK	39 900
as above but with AIRFRY COMBISET SPECIALS as above but with AIRFRY AFF CLOM 4500 TE MB K AS 90 AS on Blast chiller, bouch TFT controls, temperature range from ±5°C to ± 22°C, inner lighting, front opening door affect and above but above and above above and above and above and above above and above and above above and above and above abo			52 900
COMMISSET 45 as above but with AIRFRY as above but with AIRFRY as above but with AIRFRY because the AIRFRY as above but with AIRFRY as above but with AIRFRY because the AIRFRY as above but with AIRFRY because the AIRFRY b			46 900
as above but with ARFERY as above but with ARFERY as above but with ARFERY as above but with door starter COMBIST SPECIALS 45 cm Wine Cellart, fourth control, temperature range from +5°C to +2°C c, inner lighting, front opening door 45 cm Coffee machine, A energy class, touch TFT cntrol, coffee beans grinner, water tank, milk critery, and not beverage aker 45 cm Blast chiller, touch TFT controls, temperature range from +5°C to +2°C c, inner lighting, front opening door 45 cm Blast chiller, touch TFT controls, temperature range from +5°C to +2°C c, inner lighting, front opening door 45 cm Blast chiller, touch TFT controls, temperature range from +5°C to +2°C c, inner lighting, front opening door 45 cm Blast chiller, touch TFT controls, temperature range from +5°C to +7°C, 11 programs (7 cold + 4 warm), display stainless steel inferior, glass tray DRAWERS 15 cm Vacoum sealing drawer, Stainless steel bool Interior, Glass is id. 3 Vacoum sealing orlors, Chef function (marhating etc) Sous-vide cooking preparation for steam oven, Outer container vacoum option, fouch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, but temperature cooking up to 70°C m and: slippery interior, push to open 15 cm warming drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 15 cm require storage drawer, and: slippery interior, push to open 16 cm require storage drawer, and storage drawer, an		FCLO 6215 TEM BK	35 900
as above but with ARFERY as above but with ORFERY as above but with ORFERY as above but with ORFERY BOOM or starter COMBISET SPECIALS 45 cm Wine Cellar, touch control, temperature range from "5C to * 2°C, inner lighting, front opening door 45 cm Coffee machine, A energy class, touch FTF cntrol, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker A5 cm Bliast chiller, bouch TFT controls, temperature range from "30°C to * 75°C, 11 programs (7 cold * 4 warm), display, stainless steel interior, glass tray 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, class id 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam over, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 16 cm regular storage drawer, anti- slippery interior, push to open 17 cm hob, CaraBlack ceramic, 5 pace saver many consess in line, Touch siders control, with ear vertiliation hood A+ energy class, hood electric opening (2-feets) and output to 16 645 m3h, flush installation option 17 cm hob, CaraBlack ceramic, 5 gas brass burners (1 wky), Timer, Hall wide in slipper (1 km), Timer			
as above but with door starter COMBIST SPECIALS 45 cm Wine Cellart, fouch control, temperature range from +5°C to +2°C c. Inner lighting, front opening door 45 cm Coffee machine, A energy class, louch TFT critrol, coffee beans grinner, water tank, milk frother, cappuccino, coffee and hot beverage maker 45 cm Bliast chiller, bouth TFT controls, temperature range from +30°C to +75°C, 11 programs (7 cold + 4 warm), display stainless steel inferior, glass tray 15 cm Vacuum sealing drower, Stoinless steel bowl frietric, Class list, 3 Vacuum sealing ortions, Chef function (marinating etc.), Sous-vide cooking preparation for steam over, Outer container vacuum option, touch control, sealing pagins, preparation for steam over, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, bow temperature cooking up to 70°C m anti- slippery inferior, push to open 15 cm warming drawer, fan assisted, bow temperature cooking up to 70°C m anti- slippery inferior, push to open 15 cm regular storage drawer, anti- slippery inferior, push to open 15 cm regular storage drawer, anti- slippery inferior, push to open 15 cm regular storage drawer, anti- slippery inferior, push to open 15 cm regular storage drawer, anti- slippery inferior, push to open 15 cm regular storage drawer, anti- slippery inferior, push to open 15 cm regular storage drawer, anti- slippery inferior, push to open 16 ceraBlack ceramic, Space saver motor, 4 Flex cooking zones in line, Touch sliders control, with rear ventilation hod. A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option 6 ceraBlack ceramic, 5 gas brass burners (1 why), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 17 cm hob, CeraBlack ceramic, 5 gas brass burners (1 why), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 18 cm installation potion 19 cm wide Downdraft obsidital bask (pas			
45 cm Wirne Cellar, touch control, temperature range from 19°C to ± 22°C, inner lighting, front opening door 45 cm Coffee machine, A energy class, touch TFT critol, coffee bears grinder, water tank, milk frother, cappuscino, coffee and hot beverage maker 45 cm Blast chiller, touch TFT cortols, temperature range from 30°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel intender, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Staiss Id, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, seeling bags size up to 250°x 350° mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm modulation hob, CeraBlack ceramic, Space saver motor 4 Flext cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), and upday up to 465 m3/h, flush installation option GERABLACK 90 cm induction hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flext options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob. 60 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 600 ID TC BK 15 gm hob, CeraBlack ceramic, 5 as brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation, option 90 cm wide Downdraft, besidian black, glass finishing, and experimental coption of the controls, up to 760 m3/h air output w			
45 cm Wine Cellar, Louch control, temperature range from +5°C to +2°C, inner lighting, front opening door 45 cm Coffee machine, A energy class, souch TFT cntrol, coffee bears ginder, water tank, milk frother, cappuccino, coffee and hot beverage maker 45 cm Blast chilter, touch TFT cortrols, temperature range from -30°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel 5 cm, Vacouum sealing drawer, Stainless steel bowl interior, Glass 8d, 3 Vacouum sealing options, Chef function (marinating etc), Sous-vide cocking preparation for steam owen, Outer container vacouum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm, Vacouum sealing drawer, Stainless steel bowl interior, Glass 8d, 3 Vacouum sealing options, Chef function (marinating etc), Sous-vide cocking preparation for steam owen, Outer container vacouum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, tou temperature cooking up to 70°C m anti-sippery interior, push to open 15 cm Warming drawer, fan assisted, tour temperature cooking up to 70°C m anti-sippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm Ray Storage drawer, anti-slippery interior, push to open 15 cm Ray Storage drawer, anti-slippery interior, push to open 15 cm Ray Storage drawer, anti-slippery interior, push to open 16 cm		FOLGINO 4508 TEM BK	30 900
45 cm Coffee machine, A energy class, touch TFT critor), coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker 45 cm Blast chiller, touch TFT cortrols, temperature range from 30°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel interior, glass tray BRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven. Outer cortialment vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- shippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- shippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- shippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- shippery interior, push to open 15 cm warming drawer, fan assisted, low temperature cooking up to 70°C m anti- shippery interior, push to open 15 cm modulation hob, Cerallack ceramic, Space saver motor. Float cooking zones in line, Touch sliders control, with rear ventilation hood 16 ceramics, Space saver motor. Float cooking zones in line, Touch sliders control, with rear ventilation hood 17 ceraming the cooking cooking cooking zones in line, Touch sliders control, with rear ventilation hood 18 ceramics, Space brases burners (1 work), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 19 cm, Scooking areas, 2 Flext options, slider touch, duty cycle, booster, timer, dual work gas brases burner, cast iron pot rest, metal knob, for the push of the situation potential p		FCLWC 4500 TC FO BK	20 000
45 cm Blast chiller, touch TFT controls, temperature range from: 30°C to + 75°C, 11 programs (7 cold + 4 warm), display, stainless steel interior, glass tray Comparison	45 cm Wille Cellar, touch control, temperature range from 15 C to 122 C, filler lighting, from opening door	I CLVV C 43000 I C I C BIX	23 300
Interior, glass tray DRAWERS 15 cm. Vacuum sealing drawer, Stainless steel bowl interior, Glass Iid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m antl-slighery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m antl-slopeny interior, push to open 15 cm regular storage drawer, antl-sippery interior, push to open 15 cm Varming drawer, fan assisted, low temperature cooking up to 70°C m antl-slopeny interior, push to open 15 cm Varming drawer, fan assisted, low temperature cooking up to 70°C m antl-slopeny interior, push to open 15 cm Varming drawer, fan assisted, low temperature cooking up to 70°C m antl-slopeny interior, push to open 16 cm Varming drawer, fan assisted, low temperature cooking up to 70°C m antl-slopeny interior, push to open 17 cm Polo, CeraBlack ceramic, Space saver motory, Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steeps, in oroptic up to 456 m3/h, flush installation option 18 cerame of the fan assisted opening fall to fan assisted for the fall function opening fall to fall function opening fall function opening fall function opening fall function for fall function for fall function fall function for fall function fall function for fall function for fall function for fall function fall fall fall fall function fall fall function fall fall fall fall function fa	, , , , , , , , , , , , , , , , , , , ,	FCLCM 4500 TF BK	49 900
15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 16 cm ROUCTION COOKTOPS 17 cm Induction hob, CeraBlack ceramic, Space saver motory, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood 16 A+ energy class, hood electric opening (2 steeps, air output up to 456 m3h, flush installation option 17 ceraBlack ceramic, 5 gas brass burners (1 twok), Timer, Halo Vision soft metal knobs, cast fron convenient pot rests, flush installation option 17 cm hob, CeraBlack ceramic, 5 gas brass burners (1 twok), Timer, Halo Vision soft metal knobs, cast fron convenient pot rests, flush installation option 18 cm, slower of the convenient option of the slower option option option of the slower option o	maker		
15 cm Warming drawer, fan assisted, low temperature cocking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, arti- slippery interior, push to open 15 cm regular storage drawer, arti- slippery interior, push to open 15 cm regular storage drawer, arti- slippery interior, push to open 15 cm regular storage drawer, arti- slippery interior, push to open 15 cm regular storage drawer, arti- slippery interior, push to open 16 ceraBlack ceramic, Space saver motor, 4 Flex cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option 3 cas HOBS 3 cas HOBS 3 cas HOBS 3 cas HOBS 4 ceraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 2 ceraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 3 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, flush visions oft metal knobs, cast iron convenient pot rests, flush installation option 3 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, flush vision soft metal knobs, cast iron convenient pot rests, flush installation option 4 so convenient pot rest, metal knob, flush installation option 4 cas Hobs and the convenient pot rest, metal knob, flush installation option 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 6 ceraBlack ceramic, with ventilation hood, flush installation option Aria + FCLH 905 GT WK BK 3 190 90 cm wide Downdraft, obsidian black glass finishing, A energy class, so duch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery: LED bar lighting no return air flow flap, certified for both induction and gas hobs combi	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray		
15 cm regular storage drawer, anti- slippery interior, push to open NDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FPHH 800 ID TC BK 41 90 or middle of middle or middle option hood, carablack ceramic, with ventilation hood, flush installation option Aria + FPHH 800 ID TC BK 41 90 or middle own of middle or middle or middle option hood, flush installation option Aria + FPHH 800 ID TC BK 43 89 or middle own of middle own of middle of middle of middle or middle of middle o	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide	FCLBC 4500 TF BK	81 900
NDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steeps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation, option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation, option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, boosler, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 38 900 80 cm induction hob, CeraBlack ceramic, with ventilation hood flush installation option Aria + FHH 600 ID TC BK 38 900 VEXTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting or return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption FEM 2 15 900 Outer remote installation, stainless steel finishing, touch controls, Auto opening according to air output supplied profits of the profits of t	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide	FCLBC 4500 TF BK	81 900
CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 60 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 600 ID TC BK 38 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 36 to 68 dBA sound level, ALU fat filters up-circulating convertible with Pf liters On board installation, siniled 5150MN, 50,5 kWh/year consumption FEM 1 7 90 cm Wall hood, Obsidian black glass, A energy class, a rouport up to 750 mm, 88,9 kWh/year consumption FEM 2 7 90 cm Wall hood, Obsidian black glass, A energy class, are output up to 750 m3/h, sound level, stainless steel finishing, touch controls, A long opening according to air output speed levels, LED bar lighting air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, are output up to 750 m3/h, sound level, stainless steel fat baffel filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 95 90 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 9609 MT MBK	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open	FCLBC 4500 TF BK FCLVSD 150 TC BK	81 900 43 900
90 cm induction hob. CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 600 ID TC BK 41 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters 90 cm Wall bood, Obsidian black glass, air installation, air inlet 0150MM, 50.5 kWhylyear consumption FEM 1 7 90 cm Wall bood, Obsidian black glass, A energy class, a output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Wall bood, Obsidian black glass, A lengery class, are output up to 730 m3/h sound levels, ED bar lighting, air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Wall bood, Obsidian black glass, A energy class, are output up to 730 m3/h sound levels, form from the programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FCLH D 960 TC BKX 90 cm Isle, stainless steel finishing, touch control. A energy class, are output up	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK	81 900 43 900 10 900
GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with verillation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 60 cm induction hob, CeraBlack ceramic, with verillation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, air inlet 0 f50 mM, 50,5 kWh/year consumption FEM 1 790 Outer remote installation, stainless steel AlSi 304, air inlet 0 f50 mm, 89, kWh/year consumption FEM 2 15 90 orm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting, air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Wall hood, Obsidian black glass, A+ energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel finishing, touc	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK	81 900 43 900 10 900
CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, silder touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 (60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 (60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 (60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 (60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 (60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + FHH 800 ID TC BK 41 90 (60 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fla filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, 51kWh/year consumption FDD 2M 5 90 (60 cm Fan Assisted Oven, 9 programs, digital rised 9 50 cm, 88,9 kWh/year consumption FED 2M 5 90 cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, A under pointing air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer FED 2 bar lighting, 1 cut-output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off tim	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK	81 900 43 900 10 900 8 900
90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 Cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 Cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 38 90 Cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 88 dBA sound level, ALU fat filters with oir recovery; LED bar lighting on return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, air inlet Ø150MM, 50,5 kWh/year consumption FEM 1 7.90 Cuter remote installation, air inlet Ø150MM, 50,5 kWh/year consumption FEM 1 7.90 Cuter remote installation, air inlet Ø150MM, 50,5 kWh/year consumption FEM 2 15.90 Cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting, air output up to 757 offs, sound level from 49 to 71 dBA, Shut-differ Piner Pine	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK	81 900 43 900 10 900 8 900
installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halle Ovision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 600 ID TC BK 41 90 events of the flush installation option Aria + FHH 800 ID TC BK 41 90 events of the flush installation are represented to the flush installation option Aria + FHH 800 ID TC BK 41 90 events of the flush installation are represented by the flush installation option Aria + FHH 800 ID TC BK 41 90 events of the flush instal	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK	81 900 43 900 10 900 8 900
Installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 41 900 FC BK 60 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 38 900 FCHH 700 FC BK 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, a in inlet Ø150MM, 50,5 kWh/year consumption FEM 1 7.900 F	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2	81 900 43 900 10 900 8 900 69 900
flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 41 90 (as 90 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 800 ID TC BK 38 90 (but induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 600 ID TC BK 38 90 (but induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 600 ID TC BK 38 90 (but induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 600 ID TC BK 38 90 (but induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + FHH 600 ID TC BK 38 90 (but induction hob, CeraBlack ceramic, with ventilation hood, flush installation approach in the filters	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2	81 900 43 900 10 900 8 900 69 900
## FHH 600 ID TC BK ## 38 900 ## VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, 51kWh/year consumption Inner remote installation, air inlet Ø150MM, 50,5 kWh/year consumption Outer remote installation, stainless steel AISI 304, air inlet Ø150MM, 50,5 kWh/year consumption 90 cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap ### WATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FHH 600 ID TC BK 38 900 ### FDDH 900 TRC BK \$5 000 FDD 2M FDD 2M FEM 1 7 900 FEM 1 7 900 FEM 2 15 900 FEM 2 15 900 FCLHD 900 TC BK FTIHD 960 TC BKX 29 900 ### FUN 9609 MT MBK 31 900 15 000	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK	81 900 43 900 10 900 8 900 69 900
VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination , recirculating convertible with HP filters On board installation, 51kWh/year consumption FDD 2M 5 900 Inner remote installation, air inlet Ø150MM , 50,5 kWh/year consumption FEM 1 7 900 Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption 90 cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 9609 MT MBK 29 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK	81 900 43 900 10 900 8 900 69 900 37 900 31 900 34 900
90 cm wide Downdraft, obsidian black glass finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, 51kWh/year consumption FDD 2M FDD 2M 5 900 Inner remote installation, air inlet Ø150MM , 50,5 kWh/year consumption FEM 1 7 900 Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption FEM 2 15 900 90 cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting, air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FUND 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30 °C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70 °C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 80 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option Aria +	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK	81 900 43 900 10 900 8 900 69 900 37 900 31 900 34 900 41 900
On board installation, 51kWh/year consumption Inner remote installation, air inlet Ø150MM , 50,5 kWh/year consumption Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption FEM 2 15 90 Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption FEM 2 15 90 Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption FEM 2 15 90 Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption FEM 2 15 90 FCLHD 900 TC BK 37 90 Outer remote installation, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 9609 MT MBK 31 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria +	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK	81 900 43 900 10 900 8 900 69 900 37 900 31 900 34 900 41 900
Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption 90 cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting, air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FEM 2 15 900 FCLHD 900 TC BKX 29 900 FTIHD 960 TC BKX 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75°C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK	81 900 43 900 10 900 8 900 69 900 31 900 31 900 41 900 38 900
90 cm Wall hood, Obsidian black glass, A+ energy class, Touch controls, Auto opening according to air output speed levels, LED bar lighting , air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 9609 MT MBK 31 900 75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 7509 MT MBK 28 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75°C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery ; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination , recirculating convertible with HP filters	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDDH 900 TRC BK	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 35 900
air output up to 757 m3/h, sound level from 49 to 71 dBA, Shut-off timer 90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FUCHD 900 TC BKX 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75°C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, LV fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, 51kWh/year consumption	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDDH 900 TRC BK	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900
Stainless steel fat baffle filters, LED bar lighting, no return air flap URBANTECH MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to +75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to 250 x 350 mm, push to open 16 cm slippery interior, push to 250 x 350 mm, push to open 17 cm lob, CeraBlack ceramic, 5 gas brass burner (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 17 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 18 cm hob, CeraBlack ceramic, vith ventilation hood ,	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDDH 900 TRC BK FDD 2M FEM 1	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900 7 900
MATTE BLACK STEEL OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 9609 MT MBK 31 900 75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 7509 MT MBK 28 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid, tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to +75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interfor, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap,	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDDH 900 TRC BK FDD 2M FEM 1 FEM 2	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900 7 900 15 900
OVENS 90x60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 9609 MT MBK 31 900 75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 7509 MT MBK 28 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid, tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flest cooking zones in line. Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + (80 cm induction hob, CeraBlack ceramic, with ventilation hood, flush installation option Aria + VENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, at inlet Ø 150 mm, 88,9 kWh/year consumption Inner remo	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDD 2M FEM 1 FEM 2 FCLHD 900 TC BK	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900 7 900 15 900 37 900
75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 7509 MT MBK 28 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid, tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexic cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + WENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination , recirculating convertible with HP filters On board installation, air inlet 0150MM, 50,5 kWhylyear consumption Outer r	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDD 2M FEM 1 FEM 2 FCLHD 900 TC BK	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900 7 900 15 900 37 900
75 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray FUO 7509 MT MBK 28 900 45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid, tray, metal knobs FUSO 7505 MT MBK 29 900	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to +75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regula	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDD 2M FEM 1 FEM 2 FCLHD 900 TC BK	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900 7 900 15 900 37 900
	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to +75°C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray PRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bow interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open 15 cm	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDD 2M FEM 1 FEM 2 FCLHD 900 TC BK FTIHD 960 TC BKX	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 5 900 7 900 15 900 29 900
	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc.,), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option GAS HOBS CERABLACK 90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush installation option 90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob, flush installation option 80 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + 60 cm induction hob, CeraBlack ceramic, with ventilation hood , flush installation option Aria + WENTILATION 90 cm wide Downdraft, obsidian black glass finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fla filters with oir recovery : LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters On board installation, stainless steel AlS1 304, air inlet Ø150 mm, 88,9 kWhyb	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDD 2M FEM 1 FEM 2 FCLHD 900 TC BK FTIHD 960 TC BKX	81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 7 900 15 900 29 900 31 900
45 Grill Microwave Oven, Microwave and Grill cooking programs, Stainless steel interior and accessories, round gridle, glass turntable, metal knobs FUGMO 7505 MT MBK 25 90	maker 45 cm Blast chiller, touch TFT controls, temperature range from -30°C to +75 °C, 11 programs (7 cold + 4 warm), display stainless steel interior, glass tray DRAWERS 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 15 cm regular storage and regular storage of the storage of t	FCLBC 4500 TF BK FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FCLHD 9041 HID TS BK 2 FCLH 905 G T WK BK FCLH 755 G T WK BK FCHH 905 ID TS G WDK BK FHH 800 ID TC BK FHH 600 ID TC BK FDD 2M FEM 1 FEM 2 FCLHD 900 TC BK FTIHD 960 TC BKX FUO 9609 MT MBK FUO 7509 MT MBK	49 900 81 900 43 900 10 900 8 900 69 900 31 900 34 900 41 900 38 900 7 900 15 900 7 900 29 900 29 900 29 900

CO are Calf Classing Multifunction Over 40 programs digital display matalyzable LitraPlack was appeal interior, aliding guides act		
60 cm Self Cleaning Multifunction Oven, 10 programs, digital display, metal knobs, UltraBlack pyro enamel interior , sliding guides set, enamelled tray	FUO 6011 P TM MBK	25 90
60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, enamelled tray COMBISET 45	FUO 6009 MT MBK	20 90
45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs	FUSO 4505 MT MBK	27 90
45 Grill Microwave Oven, Microwave and Grill cooking programs, Stainless steel interior and accessories, round gridle, glass turntable, metal	FUCMO AFOF MT MDV	00.00
knobs	FUGMO 4505 MT MBK	23 90
60 cm. Gas oven matte black 90 cm. Gas oven matte black	FUTO 6005 FG EM MBK FUTO 9605 FG EM 2F MBK	
COMBISET 45 SPECIAL		
45 cm Coffee machine, A energy class, touch TFT cntrol, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker	FUCM 4500 TF MBK	49 90
45 cm Wine Cellar, 22 bottles capacity, touch control, temperature range from +5°C to + 22°C, beech shelves with slider guides, inner	FUWC 4500 TC FO MBK	27 90
lighting, frontal opening DRAWERS		
15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C , anti- slippery interior, push to open	FUWD 150 MBK	10 90
15 cm regular storage drawer, fan assisted, anti- slippery interior, push to open GAS HOBS	FUD 150 MBK	8 90
90 cm hob, 5 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FUH 905 G DWK MBK	20 90
90 cm hob, 5 gas matt brass burners (1 dual wok in the middle), soft metal knobs, cast iron convenient pot rests	FUH 9041 G DWK MBK	20 90
75 cm hob, 5 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FUH 7541 G DWK MBK FUH 755 G DWK MBK	18 90 18 90
75 cm hob, 5 gas matt brass burners (1 dual wok in the middle), soft metal knobs, cast iron convenient pot rests 60 cm hob, 4 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FUH 604 G DWK MBK	15 90
MATTE BLACK INDUCTION		
90 cm, 5 zone, 2 flexi, 1 dual max, Wave Touch display , booster, 3 temperature predefinite, opzione montaggio a filo	FSH 905 ID WT MBK	46 900
80 cm, 4 zone, 1 flexi, 1 dual max, Wave Touch display , booster, 3 temperature predefinite, opzione montaggio a filo URBAN STAINLESS STEEL OVENS	FSH 804 ID WT MBK	39 900
90 x 60 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, Rotisserie and turnspit, sliding guides	FUTO 9609 MT IX	31 900
set, enamelled tray	1 0 1 0 9009 WI 1X	31 900
gas oven, 90x60 cm gas, 3 programs, digital display, metal knobs, UltraBlack pyro enamel interior, Rotisserie and turnspit,sliding guides set, enamelled tray	FUTO 9605 FG EM 2F IX	34 900
75 x 59 cm Fan Assisted Oven, 9 programs, digital display, metal knobs, UltraBlack pyro enamel interior, Rotisserie and turnspit, sliding guides set, enamelled tray	FUTO 7509 MT IX	28 900
75 cm Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs	FUSO 7505 MT IX	29 900
75 cm Grill Microwave Oven, Microwave and Grill cooking programs, Stainless steel interior , round gridle, glass turntable, metal knobs	FUGMO 7505 MT IX	25 900
60 cm Gas Oven,5 programs, digital display, Metal knobs, UltraBlack pyro enamel interior, sliding guides set, enamelled tray	FUTO 6005 FG EM IX	20 900
60 self-cleaning oven , black glas, 10 programs, touch display, ultraBlack pyro enamel interior, sliding guides set, enamelied tray	FUTO 6011 P MT GBK	23 900
60 self-cleaning oven , inox , 10 programs, touch display, ultraBlack pyro enamel interior, sliding guides set, metal knobs	FUTO 6011 P MT IX	23 900
45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs	FUTGSO 4505 MT IX	27 900
45 Grill Microwave Oven, Microwave and Grill cooking programs, Stainless steel interior, round gridle, glass turntable, metal knobs	FUTGMO 4505 MT IX	23 900
COMBISET URBAN 45 SPECIAL STAINLESS STEEL		
45 cm Coffee machine, Touch TFT control, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker	FUCM 4500 TF IX	49 900
45 cm Wine Cellar, touch control, temperature range from +5°C to + 22°C, inner lighting, front opening door	FUWC 4500 TC FO IX	27 900
OVEN URBAN IN BLACK GLAS		
75 cm Fan Assisted Oven, 9 programs, digital display, Metal knobs, UltraBlack pyro enamel interior, sliding guides set, enamelled tray	FUTO 7509 MT GBK	28 900
75X45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs	FUSO 7505 MT GBK	29 900
75X45 Grill Microwave Oven, Microwave and Grill cooking programs, Stainless steel interior , round gridle, glass turntable, metal knobs	FUGMO 7505 MT GBK	25 900
60 cm Fan Assisted Oven, 9 programs, digital display, Metal knobs, UltraBlack pyro enamel interior, sliding guides set, enamelled tray	FUTO 6009 MT GBK	19 900
45 Steam oven, Steam and grill cooking programs, Stainless steel interior and accessories, 1,2 L water tanks, flat grid , tray, metal knobs	FUTGSO 4505 MT GBK	27 900
	1 0 1 0 0 0 4 0 0 0 WIT ODIK	
45 Grill Microwave Oven, Microwave and Grill cooking programs, Stainless steel interior, round gridle, glass turntable, metal knobs	FUTGMO 4505 MT GBK	23 900
PLANO RANGE		23 900
PLANO RANGE STAINLESS STEEL		23 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH	FUTGMO 4505 MT GBK	23 900
PLANO RANGE STAINLESS STEEL	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X	
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X	56 900 44 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X	56 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X	56 900 44 900 39 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X	56 900 44 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X	56 900 44 900 39 900 39 900 37 900 35 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9615 TEM 2F X FCO 7515 TEM X FCSO 7510 TEM X	56 900 44 900 39 900 37 900 35 900 39 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic Plzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel,	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X	56 90 44 90 39 90 39 90 37 90 35 90 39 90 35 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic PIzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit, WITH AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X FCSO 7510 TEM X FCMO 7510 TEM X FCSO 6023 TEM X	56 90 44 90 39 90 39 90 37 90 35 90 39 90 35 90 48 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic Plzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel,	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X FCSO 7510 TEM X	56 90 44 90 39 90 37 90 35 90 35 90 48 90 35 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic Plzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit, WITH AIRFRY with AIRFRY with AIRFRY with AIRFRY with AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9615 TEM 2F X FCO 7515 TEM X FCSO 7510 TEM X FCSO 7510 TEM X FCSO 6023 TEM X FCPO 6215 P TEM X	56 90 44 90 39 90 37 90 35 90 35 90 35 90 48 90 35 90 27 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic Plzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit, WITH AIRFRY	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X FCSO 7510 TEM X FCSO 7510 TEM X FCSO 6023 TEM X FCPO 6215 P TEM X FCPO 6215 TEM X	56 90 44 90 39 90 37 90 35 90 35 90 48 90 35 90 27 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY with AIRFRY with AIRFRY T5x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY T5x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic Plzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit, WITH AIRFRY with AIRFRY with AIRFRY with AIRFRY With AIRFRY GLOSSY BLACK GLASS OVENS 30" (76,2 cm) large Self-cleaning double fam multication oven, Easy Acces TEM with TFT, A energy class, 15 programs, Classic Pizza 350°C function, Preset and customizables recipes, UltraBlack pyro interior enamel, furnes catalyzator, round griddle, stone and shovel for pizza, telescopic griddle set, cold door, AIRFRY, BLACK GLASS	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X FCSO 7510 TEM X FCMO 7510 TEM X FCSO 6023 TEM X FCPO 6215 P TEM X FCPO 6215 TEM X FCO 6215 TEM X FCO 6215 TEM X	56 900 44 900 39 900 37 900 35 900 35 900 48 900 27 900 29 900
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY With AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic Plzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit, WITH AIRFRY with AIRFRY with AIRFRY with AIRFRY with AIRFRY With AIRFRY GLOSSY BLACK GLASS OVENS 30° (76,2 cm) large Self-cleaning double fan multifunction oven, Easy Acces TEM with TFT, A energy class, 15 programs, Classic Pizza 350°C function, Preset and customizables recipes, UltraBlack pyro interior enamel, fumes catalyzator, round griddle, stone and shovel for pizza, telescopic griddle set, cold door, AIRFRY, BLACK GLASS MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9615 TEM 2F X FCO 7515 TEM X FCSO 7510 TEM X FCSO 7510 TEM X FCSO 6023 TEM X FCPO 6215 P TEM X FCPO 6215 TEM X FCO 6215 TEM X FCOS 6215 TEM X FCOS 6215 TEM X	56 90 44 90 39 90 37 90 35 90 35 90 48 90 27 90 29 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic PIzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit , WITH AIRFRY with AIRFRY with AIRFRY with AIRFRY with AIRFRY With AIRFRY GLOSSY BLACK GLASS OVENS 30" (76,2 cm) large Self-cleaning double fan multifunction oven, Easy Acces TEM with TFT, A energy class ,15 programs, Classic Pizza 350°C function, Preset and customizables recipes, UltraBlack pyro interior enamel, fumes catalyzator, round griddle, stone and shovel for pizza, telescopic griddle set, cold door , AIRFRY, BLACK GLASS MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9013 TM X FCO 7515 TEM X FCSO 7510 TEM X FCSO 7510 TEM X FCSO 6023 TEM X FCPO 6215 P TEM X FCPO 6215 TEM X FCO 6215 TEM X FCOS 6215 TEM X FCOS 6215 TEM X FCOS 6215 TEM X	56 90 44 90 39 90 37 90 35 90 35 90 48 90 27 90 29 90
PLANO RANGE STAINLESS STEEL OVENS WITH AND TEM TECH as above but with AIRFRY with AIRFRY With AIRFRY STEAM OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side with AIRFRY with AIRFRY 75x45 Steam oven, Steam and grill cooking programs, 1,2 L water tanks WITH AIRFRY 75x45 Grill Microwave Oven, Microwave and Grill cooking programs WITH AIRFRY 60 cm Built-in combi steam oven, A++ energy class,11 classic cooking programs, 6 steam cooking functions, 7 special cooking functions, Classic PIzza 350°C function,Easy Acces TEM with TFT, Preset and customizables recipes, Airfy function, UltraBlack pyro interior enamel, Airfry tray, soft closing, Steam kit, WITH AIRFRY GLOSSY BLACK GLASS OVENS 30° (76,2 cm) large Self-cleaning double fan multifunction oven, Easy Acces TEM with TFT, A energy class, 15 programs, Classic Pizza 350°C function, Preset and customizables recipes, UltraBlack pyro interior enamel, fumes catalyzator, round griddle, stone and shovel for pizza, telescopic griddle set, cold door, AIRFRY, BLACK GLASS MICROWAVE OVEN with AIRFRY, BLACK COLOUR, with handle in lower position for installation side by side	FUTGMO 4505 MT GBK FCPO 315 P TEM 2F X FCSO 310 TEM X FCSO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCMO 310 TEM X FCO 9615 TEM 2F X FCO 9615 TEM 2F X FCO 7515 TEM X FCSO 7510 TEM X FCSO 7510 TEM X FCSO 6023 TEM X FCPO 6215 P TEM X FCPO 6215 TEM X FCO 6215 TEM X FCOS 6215 TEM X FCOS 6215 TEM X	56 900 44 900 39 900 39 900 37 900

75X45 cm Combi Steam Oven Easy Access TEM with TFT, Steam, Fan assisted and grill cooking programs, A++ energy class, Preset and customizables recipes ,meat probe, Stainless steel interior and accessories, 1,2 l. Water tank, Steam recovery system, Lime stone lifelong filter WITH AIRFRY	FCSO 7510 TEM BK	39 900
75X 45 cm Combi Microwave oven, Microwave, fan and grill cooking, Preset and customizalbles recipes , Stainless steel interior and accessories , round griddle, glass turntable WITH AIRFRY	FCMO 7510 TEM BK	35 900
60 cm Combi Steam Oven Easy Access TEM with TFT,Steam, Fan assisted and grill cooking programs, A++ energy class, Preset and customizables recipes ,meat probe, Stainless steel interior and accessories, 1,2 l. Water tank, Steam recovery system, Lime stone lifelong filter WITH AIRFRY	FCSO 6023 TEM BK	48 900
with AIRFRY	FCPO 6215 P TEM BK	35 900
with AIRFRY	FCO 6215 TEM BK	27 900
GLOSSY WHITE GLASS OVENS with AIRFRY	FCPO 6215 P TEM WH	35 900
with AIRFRY	FCO 6215 TEM WH	27 900
COMBISET 45		
STAINLESS STEEL	5000 4540 7514 4	
with AIRFRY with AIRFRY	FCSO 4510 TEM X FCMO 4510 TEM X	33 900 31 900
with AIRFRY	FGMO 4508 TEM X	27 900
GLOSSY BLACK GLASS OVENS		
with AIRFRY	FCSO 4510 TEM BK FCMO 4510 TEM BK	33 900 31 900
with AIRFRY 47 cm Grill Microwave oven, Easy Access TEM with TFT, Microwave and grill cooking , Preset and customizalbles recipes , Stainless steel		
interior and accessories , round griddle, glass turntable start porta	FGMO 4508 TEM BK	27 900
GLOSSY WHITE GLASS OVENS		
with AIRFRY	FCSO 4510 TEM WH FCMO 4510 TEM WH	33 900 31 900
with AIRFRY SPECIAL COMBI 45 STAINLESS STEEL	FCIVIO 4510 TEIVI WH	31900
	FCM 4500 TF X	49 900
45 cm Coffee machine, Touch TFT control, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker	FCM 4500 TF X	49 900
45 cm Blast Chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel interior, glass tray	FBC 4500 TF X	81 900
45 cm Wine Cellar, 22 bottles capacity, touch control, temperature range from +5°C to + 2 FRONT OPEENING	FWC 4500 TC FO X	27 900
SPECIAL COMBI 45 BLACK GLOSSY GLASS		
45 cm Coffee machine, Touch TFT control, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker	FCM 4500 TF BK	49 900
45 cm Blast Chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel		
interior, glass tray	FBC 4500 TF BK	81 900
45 cm Wine Cellar, 22 bottles capacity, touch control, temperature range from +5°C to + 2 FRONT OPEENING	FWC 4500 TC FO BK	27 900
SPECIAL COMBI 45 WHITE GLOSSY GLASS		
45 cm Coffee machine, Touch TFT control, coffee beans grinder, water tank, milk frother, cappuccino, coffee and hot beverage maker	FCM 4500 TF WH	49 900
45 cm Blast Chiller, touch TFT controls, temperature range from -30°C to + 75 °C, 11 programs (7 cold + 4 warm), display ,stainless steel	FBC 4500 TF WH	81 900
interior, glass tray		
45 cm Wine Cellar, 22 bottles capacity, touch control, temperature range from +5°C to + 2 FRONT OPEENING DRAWERS	FWC 4500 TC FO WH	27 900
WITH STAINLESS STEEL FRONT		
15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open	FVSD 150 TC X	43 900
29 cm, Vacuum sealing drawer, Food contact material bowl interior, Glass lid, 3 Vacuum sealing oprions, Sous-vide cooking preparation for	FVSD 2900 TC	43 900
steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm	FT 29 X	
Stainless steel front and handle for Vacuum sealing drawer model FVSD 2900 TC 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open	FWD 150 X	9 900 10 900
30" Warming drawer, fan assisted, low temperature cooking up to 85°C , anti- slippery interior, push to open, inox	FWD 3024 X	20 900
15 cm regular storage drawer, anti- slippery interior, push to open	FD 150 X	8 900
WITH BLACK GLOSSY GLASS FRONT		
15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open	FVSD 150 TC BK	
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open	FWD 150 BK	43 900 10 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open	FWD 150 BK FD 150 BK	
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open	FWD 150 BK	10 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT	FWD 150 BK FD 150 BK FWD 3024 BK	10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black	FWD 150 BK FD 150 BK	10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH	10 900 8 900 43 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide	FWD 150 BK FD 150 BK FWD 3024 BK	10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH	10 900 8 900 43 900 10 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH	10 900 8 900 43 900 10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK	10 900 8 900 43 900 10 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK	10 900 8 900 43 900 10 900 8 900 43 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK	10 900 8 900 43 900 10 900 8 900 43 900 10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUWD 150 MBK	10 900 8 900 43 900 10 900 8 900 10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK	10 900 8 900 43 900 10 900 8 900 43 900 10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push NDUCTION COOKTOPS CERABLACK	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUWD 150 MBK	10 900 8 900 43 900 10 900 8 900 10 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUWD 150 MBK	10 900 8 900 43 900 10 900 8 900 10 900 8 900 8 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30° Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUD 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK	10 900 8 900 43 900 10 900 8 900 10 900 8 900 69 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FULD 150 MBK FUD 150 MBK	10 900 8 900 10 900 8 900 10 900 8 900 10 900 8 900 69 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push INDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor, 4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option 60 cm, 4 cooking areas, 1 flexi options, Slider touch, booster, 3 pre-set temperatures, flush installation optio	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUWD 150 MBK FUWD 150 MBK FUHD 150 MBK FUHD 150 MBK	10 900 8 900 43 900 10 900 8 900 10 900 8 900 10 900 8 900 35 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push NDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood "A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option 60 cm, 4 cooking areas, 1 flexi options, 1 dual max, Wave touch display, booster, 3 pre-set temperatures, flush installation option 1NDUCTION HOBS LOW CONSUMPTION	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUND 150 MBK	10 900 8 900 43 900 10 900 8 900 10 900 8 900 10 900 8 900 35 900 20 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30° Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bow interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push NDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood A+ energy class, hood electric opening (2 steps), air ou	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUD 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK FCHD 9041 HID TS BK 2 FSH 804 ID WT BK FSH 402 ID TS BK	10 900 8 900 43 900 8 900 43 900 10 900 8 900 10 900 8 900 20 900 23 900
cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti- slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open 15 cm regular storage drawer, anti- slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven,Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti- slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push NDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood "A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option 60 cm, 4 cooking areas, 1 flexi options, 1 dual max, Wave touch display, booster, 3 pre-set temperatures, flush installation option INDUCTION HOBS LOW CONSUMPTION	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUND 150 MBK	10 900 8 900 10 900 8 900 10 900 8 900 10 900 8 900 20 900 23 900 20 900 20 900
cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open 30" Warming drawer, fan assisted, low temperature cooking up to 85°C, anti-slippery interior, push to open black WITH WHITE GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open 15 cm regular storage drawer, anti-slippery interior, push to open WITH ULTRA BLACK GLOSSY GLASS FRONT 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm, Vacuum sealing drawer, Stainless steel bowl interior, Glass lid, 3 Vacuum sealing options, Chef function (marinating etc), Sous-vide cooking preparation for steam oven, Outer container vacuum option, touch control, sealing bags size up to 250 x 350 mm, push to open 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push WITH MATT BLACK METAL FRONT 15 cm Warming drawer, fan assisted, low temperature cooking up to 70°C m anti-slippery interior, push to open Cassetto porta-oggetti, H15, interni anti-scivolo, apertura push NDUCTION COOKTOPS CERABLACK 90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation option 60 cm, 4 cooking areas, 1 flexi options, 1 dual max, W	FWD 150 BK FD 150 BK FWD 3024 BK FVSD 150 TC WH FWD 150 WH FD 150 WH FCLVSD 150 TC BK FCLWD 150 BK FCLD 150 BK FUND 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK FUD 150 MBK FCLHD 9041 HID TS BK 2 FSH 804 ID WT BK FSH 402 ID TS BK FCH 804 ID TS BK	10 900 8 900 43 900 10 900 8 900 10 900 8 900

·	FSH 905 ID TS WH-1	46 900
80 cm, 5 cooking areas, 1 flexi options, 1 dual max, Wave touch display, booster, 3 pre-set temperatures,flush installation option	FSH 804 ID TS WH-1	44 900
40 cm, 2 cooking areas,1Flexi option, slider touch, booster, flush installation option	FSH 402 ID TS WH	23 90
INDUCTION HOBS LOW CONSUMPTION		
CERAWHITE 90 cm, 4 in line cooking areas, slider touch, duty cycle,booster, timer, flush installation option	FCHL 904 ID TS WH	25 900
80 cm, 4 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, flush installation option	FCH 804 ID TS WH	22 900
60 cm , 4 cooking zone, 2 Flexi options, slider touch, duty cycle, booster, timer, flush installation option	FCH 604 ID TS WH	18 900
30 cm , 2 cooking areas 1 Flexi option, slider touch, duty cycle booster, timer, flush installation option	FCH 302 ID TS WH	14 900
MATT CERABLACK		
90 cm, 5 cooking areas, 2 flexi options, 1 dual max, Wave touch display, booster, 3 pre-set temperatures, flush installation option	FSH 905 ID WT MBK	46 900
80 cm, 5 cooking areas, 1 flexi options, 1 dual max, Wave touch display, booster, 3 pre-set temperatures, flush installation option	FSH 804 ID WT MBK	39 900
HYBRID INDUCTION/GAS COOKING CERABLACK		
90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, dual wok gas brass burner, cast iron pot rest, metal knob,		
flush installation option	FCHH 905 ID TS G DWK BK	34 900
CERAWHITE		
90 cm, 5 cooking areas, 2 Flexi options, slider touch, duty cycle, booster, timer, 1 dual wok gas brass burner, cast iron pot rest, metal knob,	FCHH 905 ID TS G DWK WH	38 900
flush installation option GAS COOKTOPS		
VITROCERAMIC WITH HALO VISION		
90 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok) , Timer, Halo Vision soft metal knobs, cast iron convenient pot rests , flush	FOLLLOOF O TAME DIE	07.000
installation option	FCLH 905 G T WK BK	37 900
75 cm hob, CeraBlack ceramic, 5 gas brass burners (1 wok), Timer, Halo Vision soft metal knobs, cast iron convenient pot rests, flush	FCLH 755 G T WK BK	31 900
installation option		
MATT BLACK METAL 90 cm hob, 5 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FUH 905 G DWK MBK	20 900
90 cm hob, 5 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FUH 903 G DWK MBK	20 900
75 cm hob, 5 gas matt brass burners (1 dual wok in the Influence), soft metal knobs, cast from convenient pot rests	FUH 7541 G DWK MBK	18 900
75 cm hob, 5 gas matt brass burners (1 dual wok in the reit slue), soft metal knobs, cast iron convenient pot rests	FUH 755 G DWK MBK	18 900
STAINLESS STEEL	1 STITES OF EVEN WILLIAM	10 300
90 cm hob, 6 gas matt brass burners (1 dual wok on the left), soft metal knobs, cast iron convenient pot rests	FPH 906 G WK X	16 900
90 cm hob, 5 gas matt brass burners (1 dual wok in the middle), soft metal knobs, cast iron convenient pot rests	FPH 9041 G WK X	15 900
90 cm hob, 5 gas matt brass burners (1 dual wok on the left), soft metal knobs, cast iron convenient pot rests	FPH 905 G WK X	15 900
75 cm hob, 5 gas matt brass burners (1 dual wok in the middle), soft metal knobs, cast iron convenient pot rests	FPH 7541 G WK X	13 900
75 cm hob, 5 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FPH 755 G WK X	13 900
60 cm hob, 4 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FPH 604 G WK X	11 900
GLOSSY BLACK GLASS		
90 cm hob, 6 gas matt brass burners (1 dual wok on the left), soft metal knobs, cast iron convenient pot rests	FPH 905 G WK BKG	19 900
75 cm hob, 5 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FPH 755 G WK BKG	16 900
60 cm hob, 4 gas matt brass burners (1 dual wok on the left side), soft metal knobs, cast iron convenient pot rests	FPH 604 G WK BKG	14 900
GLOSSY WHITE GLASS		
90 cm, 5 zone cottura,1 bruciatore Dual Wok laterale sx, bruciatori in ottone opaco, griglie in ghisa professionale, manopole bianche	FPH 905 G WK WHG	19 900
30 cm, 3 zone codura, i structure Data wor laterate sx., structure opaco, grigite in grisa processionate, manipute statione	1111300 G WK WHO	13 300
75 cm, 5 zone cottura,1 bruciatore Dual Wok laterale sx , bruciatori in ottone opaco, griglie in ghisa professionale, manopole bianche	FPH 755 G WK WHG	16 900
60 cm, 4 zone cottura,1 bruciatore Dual Wok laterale sx, bruciatori in ottone opaco, griglie in ghisa professionale, manopole bianche	FPH 604 G WK WHG	14 900
FLUSH SERIE "P" STAINLESS STEEL		
112, cm, 4 gas burners in line, wok, cast iron pot rests, gas safety, metal knobs	CPH 1124 G WK X	21 900
90, cm, 5 gas burners , wok, cast iron pot rests, gas safety, metal knobs	CPH 905 G WK X	21 900
76, cm, 5 gas burners, wok, cast iron pot rests, gas safety, metal knobs	CPH 765 G WK X	20 900
76, cm, 5 gas burners , wok, cast iron pot rests, gas safety, metal knobs	CPH 604 G X	16 900
PLAIN STEINLESS STEEL GAS COOKTOPS		
112 cm, 5 mm heavy surface,4 gas brass burners in line, 2 dual wok , single cast iron pot rests, metal knobs	FSH 1124 G 2DWK XX	36 900
90 cm, 5 mm heavy surface,5 gas brass burners in line, 1 dual wok , single cast iron pot rests, metal knobs	FSH 905 G DWK XX	34 900
77 cm, 5 mm heavy surface,5 gas brass burners in line, 1 dual wok , single cast iron pot rests, metal knobs	FSH 775 G DWK XX	33 900
GLOSSY BLACK GLASS COOKTOPS SERIE "S"		
112 cm, 8 mm heavy glass surface,4 gas brass burners in line, 2 dual wok, single cast iron pot rests, metal knobs, 4 facette finishing sides	FCH 1124 G 2DWK BK	25 900
90 cm, 8 mm heavy glass surface,5 gas brass burners, 1 dual wok , single cast iron pot rests, metal knobs, 4 facette finishing sides	FCH 905 G DWK BK	24 900
	FCH 905 G DWK BK FCH 775 G WK BK	
90 cm, 8 mm heavy glass surface,5 gas brass burners, 1 dual wok, single cast iron pot rests, metal knobs, 4 facette finishing sides 77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok, single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides		22 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides	FCH 775 G WK BK	22 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides	FCH 775 G WK BK	22 900 15 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok, single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL	FCH 775 G WK BK FCH 604 G BK	22 900 15 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok, single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X	22 900 15 900 17 900 16 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X	22 900 15 900 17 900 16 900 12 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm, 6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm, 5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X	22 900 15 900 17 900 16 900 12 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm, 6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm, 5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X	22 900 15 900 17 900 16 900 12 900 10 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm, 6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm, 5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X	22 900 15 900 17 900 16 900 12 900 10 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 13 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 13 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 13 900 17 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control 40 cm induction, 2 cooking areas,metal knobs control	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X CPH 402 ID TC X/2	22 900 15 900 17 900 16 900 12 900 10 900 14 900 13 900 17 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas, metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, metal knobs control	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2	22 900 15 900 17 900 16 900 12 900 10 900 13 900 17 900 17 900 39 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction Teppan yaki 2 separate cooking areas, touch control 40 cm, Electric barbecue, lava stones, removable basin, glass lid, with knobs	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 17 900 17 900 17 900 17 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction Teppan yaki 2 separate cooking areas, touch control 40 cm, Electric barbecue, lava stones, removable basin, glass lid, with knobs 40 cm, Electric fryer, removable tank with handle, glass lid with knobs	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2	22 900 15 900 17 900 16 900 12 900 10 900 14 900 17 900 17 900 17 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,touch control 40 cm induction Teppan yaki 2 separate cooking areas,touch control 40 cm,Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 17 900 17 900 17 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction Teppan yaki 2 separate cooking areas,touch control 40 cm,Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS LIFT COOKER HOODS LIFT COOKER HOODS (without motor on board)	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 17 900 17 900 17 900 17 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,touch control 40 cm induction Teppan yaki 2 separate cooking areas,touch control 40 cm,Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X	22 900 15 900 17 900 16 900 12 900 10 900 14 900 17 900 17 900 17 900 20 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas ,metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area,metal knob control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 cooking areas,metal knobs control 40 cm induction, 2 separate cooking areas,touch control 40 cm induction Teppan yaki 2 separate cooking areas,touch control 40 cm,Electric barbecue, lava stones, removable basin, glass lid, with knobs 40 cm,Electric fryer, removable tank with handle, glass lid with knobs COOKER HOODS LIFT COOKER HOODS (without motor on board)	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X CPH 402 ID TC X/2 CPH 402 ID TC X/2 CPH 401 BQ X CPH 401 FR X	22 900 15 900 17 900 16 900 12 900 10 900 13 900 17 900 17 900 39 900 20 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm, 6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm, 5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas, metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, touch control 40 cm induction Teppan yaki 2 separate cooking areas, touch control 40 cm, Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS LIFT COOKER HOODS (without motor on board) 112 cm wide Downdraft, stainless steel finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery, LED bar lighting, no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X CPH 401 FR X FDDH 1120 TRC X	22 900 15 900 17 900 16 900 12 900 10 900 13 900 17 900 17 900 17 900 20 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm, 6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm, 5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas, metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knob control 40 cm induction, 2 cooking areas, metal knob control 40 cm induction Teppan yaki 2 separate cooking areas, touch control 40 cm, Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS LIFT COOKER HOODS (without motor on board) 112 cm wide Downdraft, stainless steel finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting, no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil r	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 401 ID X CPH 402 ID TC X/2 CPH 402 ID TC X/2 CPH 401 BQ X CPH 401 FR X	22 900 15 900 17 900 16 900 12 900 10 900 13 900 17 900 17 900 17 900 20 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm ,6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm ,5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm ,4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas, metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction, 2 cooking areas, metal knobs control 40 cm induction Teppan yaki 2 separate cooking areas, stouch control 40 cm, Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS LIFT COOKER HOODS (without motor on board) 112 cm wide Downdraft, stainless steel finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery, LED bar lighting, no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X CPH 401 FR X FDDH 1120 TRC X	24 900 22 900 15 900 16 900 12 900 10 900 13 900 17 900 17 900 39 900 20 900 38 900
77 cm, 8 mm heavy glass surface,5 gas brass burners, 1 wok , single cast iron pot rests, metal knobs, 4 facette finishing sides 60 cm, 8 mm heavy glass surface,4 gas brass burners, single cast iron pot rests, metal knobs, 4 facette finishing sides "Q" DESIGN GAS HOBS STAINLESS STEEL 112 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs 90 cm, 6 gas burners, off-axis wok, cast iron pot rests, metal knobs 76 cm, 5 gas burners, off-axis wok, cast iron pot rests, metal knobs 60 cm, 4 gas burners, off-axis wok, cast iron pot rests, metal knobs COMBI SET STAINLESS STEEL/CERABLACK 40 cm Dual wok gas burner, metal knobs control, cast iron pot rest 40 cm, 2 gas cooking areas, metal knobs control, cast iron pot rest 40 cm induction, 1 large cooking area, metal knob control 40 cm induction, 2 cooking areas, metal knob control 40 cm induction, 2 cooking areas, metal knob control 40 cm induction Teppan yaki 2 separate cooking areas, touch control 40 cm, Electric barbecue, lava stones, removable basin, glass lid, with knobs COOKER HOODS LIFT COOKER HOODS (without motor on board) 112 cm wide Downdraft, stainless steel finishing, A energy class , touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting, no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and levels, from 38 to 68 dBA sound level, ALU fat filters with oil r	FCH 775 G WK BK FCH 604 G BK QH 1124 G WK X QH 906 G WK X QH 765 G WK X QH 604 G WK X CPH 401 G DWK X CPH 402 G X CPH 402 ID X CPH 402 ID TC X/2 CPH 402 ID TY TC X/2 CPH 401 BQ X CPH 401 FR X FDDH 1120 TRC X	22 900 15 900 17 900 16 900 12 900 10 900 13 900 17 900 17 900 17 900 20 900

90 cm wide Downdraft, stainless steel finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery, LED bar lighting, no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters	FDDH 900 TRC X	35 900
90 cm wide Downdraft, obsidian black glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels, from 38 to 68 dBA sound level, ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters	FDDH 900 TRC BK	35 900
90 cm wide Downdraft,o arctic white glass finishing, A energy class, touch and remote controls, up to 760 m3/h air output with 4 speed levels,		
from 38 to 68 dBA sound level,ALU fat filters with oil recovery; LED bar lighting no return air flow flap, certified for both induction and gas hobs combination, recirculating convertible with HP filters	FDDH 900 TRC WH	36 900
LIFT SERIES HOOD MOTOR On board installation, 51kWh/year consumption	FDD 2M	5 900
Inner remote installation, air inlet Ø150MM , 50,5 kWh/year consumption	FEM 1	7 900
Outer remote installation, stainless steel AISI 304, air inlet Ø 150 mm, 88,9 kWh/year consumption	FEM 2	15 900
WALL DESIGN COOKER HOOD		
90 cm induction hob, CeraBlack ceramic, Space saver motor,4 Flexi cooking zones in line, Touch sliders control, with rear ventilation hood ,A+ energy class, hood electric opening (2 steps), air output up to 645 m3/h, flush installation option TOP (PLANO) COOKER HOODS	FCLHD 900 TC BK	37 900
52 cm,Kitchen top hood, Auto Opening, CeraBlack, A+, slider touch, air output up to 700 m3/h, 4 speed levels, sound from 55 to 77 dBA, stainless steel fat filters with oil recovery, non-return air flow flap, flush installation option, better with induction hobs, flush installation possible, recirculation convertible with HP filters	FPHD 52 TS BK	39 900
51 cm, Kitchen top hood, Auto opening, stainless steel finishing, A+, slider touch, air output up to 700 m3/h, 4 speed levels, sound from 55 to 77 dBA, stainless steel fat filters with oil recovery, non-return air flow flap, flush installation option, better with induction hobs, flush installation possible, recirculating convertible with HP filters	FPHD 51 TS X	37 900
CEILING COOKER HOODS (ALTO)		
90 cm, ceiling mounted, 200 mm flat body, stainless steel finishing, remote control, air output up to 600 m3/h with 4 speed levels,from 53 to 64 dBA, 3 LED spots lighting, non-return ari flow flap,recirculating convertible with HP filtters	FCHD 900 RC X	29 900
120 cm, ceiling mounted, 200 mm flat body, stainless steel finishing, remote control, air output up to 600 m3/h with 4 speed levels, from 53 to	FCHD 1200 RC X	32 900
64 dBA, 3 LED spots lighting, non-return ari flow flap, recirculating convertible with HP filters	1 ΟΠΟ 1200 ΝΟ Λ	32 900
90 cm, ceiling mounted, 200 mm flat body, white glass finishing, remote control, air output up to 600 m3/h with 4 spped levels, from 53 to 64 dBA, 3 LED spots lighting, non-return ari flow flap	FCHD 900 RC WH	29 900
120 cm, ceiling mounted, 200 mm flat body, white glass finishing, remote control, air output up to 600 m3/h with 4 spped levels, from 53 to 64	FCHD 1200 RC WH	32 900
dBA, 4 LED spots lighting, non-return air flow flap	FCHD 1200 RC WH	32 900
"T" DESIGN COOKER HOODS		
120 cm Wall, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, 2 x stainless steel fat baffle filters, LED bar lighting, no return air flap	FTHD 1200 TC X	25 900
90 cm Wall, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level,	FTHD 900 TC X	18 900
stainless steel fat baffle filters, LED bar lighting no return air flow flap	1 111D 300 TC X	10 900
90 cm Wall, black glass front profile on stainless steel finishing finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap	FTHD 900 TC BKX	20 900
90 cm Wall, white glass front profile on stainless steel finishing finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed	FTHD 900 TC WHX	20 900
levels, from 47 to 72 sound level, stainless steel fat baffle filters, LED bar lighting, no return air flap	11112 300 10 WIIX	20 300
120 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, 2 x stainless steel fat baffle filters, front and rear LED bar lighting, no return air flap	FTIHD 1260 TC X	37 900
90 cm Isle, stainless steel finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level,	FTIHD 960 TC X	25 900
stainless steel fat baffle filters, LED bar lighting, no return air flap	1 1111D 300 TC X	23 900
90 cm Isle, black glass front profile on stainless steel finishing finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed levels, from 47 to 72 sound level, stainless steel fat baffle filters, front LED bar lighting, no return air flap	FTIHD 960 TC BKX	29 900
90 cm Isle, white glass front profile on stainless steel finishing finishing, touch control, A energy class, air output up to 730 m3/h with 4 speed	FTIHD 960 TC WHX	31 900
levels, from 47 to 72 sound level, Stainless steel fat baffle filters, front LED bar lighting , no return air flap BUILT-IN COOKER HOODS (INCOGNITO)	7 7 11 12 000 10 W11X	01000
90 cm with cabinet integration, A energy class, stainless steel finishing, soft touch controls, scomparsa, up to 700 m3/h air output with 4	EDLID COO DT V	45.000
speed levels, from 47 to 70 dBA sound level, 90, LED spots lighting, no rerturn air flap, cord with plug.	FBHD 900 PT X	15 900
70 cm with cabinet integration, A energy class, stainless steel finishing, soft touch controls, scomparsa, up to 700 m3/h air output with 4 speed levels, from 47 to 70 dBA sound level, 90, LED spots lighting, no rerturn air flap, cord with plug.	FBHD 700 PT X	14 900
80 cm, with cabinet integration, stainless steel finishing with white bottom glass, A energy class,soft touch controls, up to 721 m3/h with 4	EDCLID 200 DT V	17,000
speed levels, from 47 to70 dBA, LED bar lighting with diimmer, no return air flap, cord with plug	FBGHD 800 PT X	17 900
Space Saver 85 cm with cabinet integration, A+ energy class, touch control on front retractable glass panel, stianless steel finishing, up to 772 m3/h air output with 4 speed levels, from 45 to 71 dBA sound level, LED bar lighting, no return air flap, cord with plug	FBGHD 850 TC X	16 900
REFRIGERATION INTEGRATED FRIDGES AND FREEEZERS		
76 cm.fridge (30") class E, total no Frost, digital display , electronics controls, led lighting, reversible doors, self substain hinges (possibility to	FBCD 761 TNF EDBL	71 900
recover the doors by asking the kit separately)	TBOD 701 TNI EDBE	71 900
76 cm.fridge (30") class E, total no Frost, digital display, electronics controls, led lighting, reversible doors, self substain hinges (possibility to recover the doors by asking the kit separately) with ice maker and ice dispenser	FBCD 762 TNF EDBL	83 900
join kit for FBCD 761 TNF EDBL and FBCD 762 TNF EDBL	FM4JOINKIT	5 900
Pannels kit for fridges FBCD 761+762 in s/steel	F4PANEL30BMSS	24 900
Professional Handle kit for fridges FBCD 761+762 in s/steel	F4HKPRO30BM	7 900
Handle kit for fridges FBCD 761+762 in matte black (urban style)	F4PANEL30BMUMBK F4HKU30BMMBK	26 900 6 900
Handle kit for fridges FBCD 761+762 in s/steel (urban style)	F4HKU30BMSS	6 900
70 cm.fridge class E, total no Frost, digital display , electronics controls, led lighting, reversible doors, self substain hinges	FBCD 701 TNF EDBL	39 900
1770 mm, one door fridge, energy class F, Aria+, inox cover for ventilator, digital display, electronic controls, led lighting, 6 glass shelfs, 2	FBR 300 F ED	20 900
drawers, reversible door, door on door hinges system 1770 mm, one door freezer, energy class F,digital display , electronics controls, 5 transparent drawers, , 2 flaps,reversible door, door on door	FBF 290 NF ED	21 900
hinges system 1770 mm, one door fridge, energy class F, Aria+, inox cover for ventilator, digital display, electronic controls, led lighting, 6 glass shelfs, 2	FBC 345 TNF ED	21 900
drawers, reversible door, chiller		
combi fridge, 2 doors, total no frost, Chilly box, reversible doors, self substain hinges WINE CELLARS	FBCD 355 TNF EDBL	24 900
88 cm, column built-in type, G efficiency class, 40 standard bottles capacity, inverter. dual temperature, White LED inner lighting,wooden shelves, SN-T climate class, side opening and reversible door,black glass design finish with stainless steel handle	FWC 8800 TC GBK	29 900
89 cm, column built-in type, G efficiency class, 40 standard bottles capacity, inverter. dual temperature, White LED inner lighting,wooden shelves, SN-T climate class, side opening and reversible door, black glass design finish with stainless steel frame and handle	FWC 8800 TC BKX	30 900
82 cm, built-under type, G efficiency class, 39 botteles capacity, inverter, dual temperature, Whie LED inner lighting, wooden shelves, SN-T	FWC 8200 U TC GBK	26 900
Climate class, side opening and reversible door, black glass finish with stainless steel handle 83 cm, built-under type, G efficiency class, 39 botteles capacity, inverter, dual temperature, Whie LED inner lighting, wooden shelves, SN-T	FWC 8200 U TC BKX	28 900
Climate class, side opening and reversible door, black glass finish with stainless steel frame and handle		∠o y uu
WASHING TAPS		

Pull-out spray mixer tap, AISI 316 stainless steel	FOMT 521 X	22 900
Sequential mixer tap H 311, stainless steel	FOMT 600 X	17 900
SINKS		
SINKS - 45 Series		
10/10 STAINLESS STEEL, FLUSH/SEMI-FLUSH,HOLE PROVIDED FOR TAP,AUTO SQUARE DRAIN		
86 x 51 cm, 2 bowls	P2B 8651 QA F-SF	17 900
76 x 51 cm, 2 bowls	P2B 7651 QA F-SF	17 900
86 x 51 cm, 1 bowl	P1B 8651 QA F-SF	12 900
56 x 51 cm, 1 bowl	P1B 5651 QA F-SF	10 900
SINKS - 45 Series		
10/10 STAINLESS STEEL, FLUSH/SEMI-FLUSH, SQUARE DRAIN		
85 x 45 cm, 2 bowls	P2B 8545 Q F-SF	15 900
55 x 45 cm, 2 bowls, reversible	P2B 5545 Q F- SF R	15 900
85 x 45 vm , 1bowl	P1B 8545 Q F-SF	9 900
75 x 45 cm, 1bowl	P1B 7545 Q F-SF	9 900
55 x 45 cm, 1 bowl	P1B 5545 Q F-SF	7 900
SINKS - 43 Series		
10/10 STAINLESS STEEL,UNDER THE TOP, SQUARE DRAIN		
83 x 43 cm, 2 vasche	P2B 8343 QU	14 900
83 x 43 cm, 1 vasca	P1B 8343 QU	9 900
73 x 43 cm, 1 vasca	P1B 7343 QU	8 900
43 x 43 cm, 1 vasca	P1B 5343 QU	7 900