

UNOX
CASA

Prisliste NO-SE

MODEL 1 & MODEL 1S


Gjelder fra oktober 2024




Model 1





Unox Intelligent Performance

 **ADAPTIVE.Cooking™:**
automatically regulates the cooking parameters to ensure repeatable results


 **AUTO.Soft:**
manages the heat rise to make it more delicate


 **CLIMALUX™:**
total control of the humidity in the cooking chamber


 **SENSE.Klean:**
estimates how dirty the oven is and suggests the appropriate automatic washing cycle

 **SMART.Preheating:**
automatically sets the preheating temperature and duration

Unox Intensive Cooking

 **DRY.Maxi™:**
rapidly extracts the humidity from the cooking chamber

 **PRESSURE.Steam:**
increases the steam saturation and temperature

 **STEAM.Maxi™:**
produces saturated steam

 **AIR.Maxi™:**
manage fans auto-reverse and pulse function

Manual cooking

—— SET function: definition of cooking parameters: time/core probe, temperature (30-260°C), humidity/extraction, fan speed/pulsed fans

—— My Programs function: library where you can save manually set cooking programs and add recipes from the web-based Cook Like A Chef catalogue.

Technical features

—— ROTOR.Klean™: automatic washing system

—— Triple glass

—— Drip collection system integrated in the door which works even when the door is open

—— Integrated Wi-Fi

—— Automatic special washing behind the fan guard

—— Cooking chamber lighting through LED lights embedded in the door

—— 4-speed fan system and high-performance heating elements

—— Wi-Fi data: download programs

—— Cooking chamber in high-resistance AISI 304 stainless steel with rounded edges

—— Tray supports with anti-tip system

—— Integrated DET&Rinse™ detergent container

Combi oven GN 1/1



	⚡ Electric
Model	XEVH-5511-EPRM
Capacity	4+4 trays GN 1/1
Tray pitch	80 mm
Frequency	50 / 60 Hz
Voltage	380-415V 3N~ 220-240V 3~ 220-240V 1~
Electrical power	10,0 kW
Dimensions - w x d x h	750 x 735 x 2112 mm
Weight	230 kg
Price	Kr. 309 900,-

Optional
Hinge on the right side

Item
XEVH-5511-EPLM

Additional price
Kr. 4 690,-

Accessory models included



BLACK.40

Item


TG902



STEEL.GRID

Item

GRP807



BLACK.FRY

Item

GRP818



EGGS 6x2

Item

TG932



BAKERY.PURE

Item

XHC010



FAKIRO.GRILL

Item

TG872



FORO.BLACK

Item

TG892



GRILL

Item

TG882




HYPERSmoker

Item

XUC090

Combi oven GN 1/1



	 Electric
Model	XEVH-5511-EPRM-BL
Capacity	4+4 trays GN 1/1
Tray pitch	80 mm
Frequency	50 / 60 Hz
Voltage	380-415V 3N~ 220-240V 3~ 220-240V 1~
Electrical power	10,0 kW
Dimensions - w x d x h	750 x 735 x 2112 mm
Weight	230 kg
Price	Kr. 356 900,-

Optional
Hinge on the right side

Item
XEVH-5511-EPLM-BL

Additional price
Kr. 4 690,-

Accessory models included



BLACK.40

Item


TG902



STEEL.GRID

Item

GRP807



BLACK.FRY

Item

GRP818



EGGS 6x2

Item

TG932



BAKERY.PURE

Item

XHC010



FAKIRO.GRILL

Item

TG872



FORO.BLACK

Item

TG892



GRILL

Item

TG882




HYPERSmoker

Item

XUC090

Accessories



Stainless steel frame for flush installation


It includes all the parts necessary for the correct housing of the column inside the kitchen cabinet.

Item	Price
XUC502	Kr. 14 900,-

Customisation

To guarantee the uniformity of the plinth, the frame can be made to order for specific needs.


Item	Price
XUC502	Kr. 7 900,-



Stainless steel frame for non-flush installation

It includes all the parts necessary for the correct housing of the column inside the kitchen cabinet.

Item	Price
XUC501	Kr. 14 900,-



Stainless steel panels for free standing installation

It includes all the parts necessary for closing the lower/upper compartment. For stand-alone installation only.

Only for Model 1 steel version

Item	Price
XUC511	Kr. 2 400,-



FAKIRO.GRILL

Non-stick aluminium tray. Two cooking surfaces: ribbed for grilling, flat for different types of cooking.

Height	Item	Price
12 mm	TG872	Kr. 3 100,-



STEEL.GRID

Flat stainless steel grid

Height	Item	Price
8.5 mm	GRP807	Kr. 1 090,-



FORO.BLACK

Non-stick perforated aluminium tray.

Height	Item	Price
20 mm	TG892	Kr. 1 590,-


Accessories



BLACK.40

Non-stick stainless steel tray

Height	Item	Price
40 mm	TG902	Kr. 1 490,-



BLACK.FRY

Non-stick stainless steel frying tray.

Height	Item	Price
40 mm	GRP818	Kr. 2 190,-



GRILL

Non-stick aluminium grilling tray. It does not require to be preheated before use.

Height	Item	Price
20 mm	TG882	Kr. 2 190,-



EGGS 6x2

Non-stick aluminium tray for 6 double-egg portions.


Height	Item	Price
16 mm	TG932	Kr. 1 790,-



ROMBO.GRILL

Non-stick aluminium tray with diamond grid.


Height	Item	Price
12 mm	TG990	Kr. 2 990,-



STEAM

Perforated stainless steel steaming tray.

Height	Item	Price
40 mm	GRP815	88,00 €



FORO.STEEL20

Perforated stainless steel tray.

Height	Item	Price
20 mm	TG810	Kr. 740,-
40 mm	TG820	Kr. 790,-
65 mm	TG830	Kr. 850,-



HYPER.Smoker

Natural wood chip smoker. An additional electric power supply is not required.

Item	Price
XUC090	Kr. 3 300,-



Cartridge for activated carbon filter

Replacement cartridge for activated carbon filters.

Item	Price
XUC115	Kr. 3 100,-

Accessories



DET&Rinse™ CASA

Concentrated detergent with brightening action. Double concentrated (10 lt of DET & Rinse CASA = 18 lt of traditional oven cleaner)

1 box

Item
DB1020

Price
Kr. 1 990,-




REFILL BAKERY.PURE

Replacement cartridge for PURE resin-based filtration system.

Item
XHC011

Price
Kr. 1 190,-

Services



COOK LIKE A CHEF

Exclusive Online Experience

Whether you're looking for guidance to cook a Sunday brunch for your family, prepare elegant and easy appetizers for a cocktail party or impress your special someone with the romantic gourmet dinner – our chefs will guide you step-by-step.



WARRANTY LONG.Life 7


Unox Casa ovens are covered by a 7-year warranty.


Up to 7 years / 10,000 hours on spare parts and up to 24 months/10,000 hours on labour.

Model 1S





Unox Intelligent Performance

 **ADAPTIVE.Cooking™:**
automatically regulates the cooking parameters to ensure repeatable results


 **AUTO.Soft:**
manages the heat rise to make it more delicate


 **CLIMALUX™:**
total control of the humidity in the cooking chamber


 **SENSE.Klean:**
estimates how dirty the oven is and suggests the appropriate automatic washing cycle

 **SMART.Preheating:**
automatically sets the preheating temperature and duration

Unox Intensive Cooking

 **DRY.Maxi™:**
rapidly extracts the humidity from the cooking chamber

 **PRESSURE.Steam:**
increases the steam saturation and temperature

 **STEAM.Maxi™:**
produces saturated steam

 **AIR.Maxi™:**
manage fans auto-reverse and pulse function

Manual cooking

—— SET function: definition of cooking parameters: time/core probe, temperature (30-260°C), humidity/extraction, fan speed/pulsed fans

—— My Programs function: library where you can save manually set cooking programs and add recipes from the web-based Cook Like A Chef catalogue.

Technical features

—— ROTOR.Klean™: automatic washing system

—— Triple glass

—— Drip collection system integrated in the door which works even when the door is open

—— Integrated Wi-Fi

—— Automatic special washing behind the fan guard

—— Cooking chamber lighting through LED lights embedded in the door

—— 4-speed fan system and high-performance heating elements

—— Wi-Fi data: download programs


—— Cooking chamber in high-resistance AISI 304 stainless steel with rounded edges

—— Tray supports with anti-tip system

—— Integrated DET&Rinse™ detergent container

Combi oven GN 1/1



	 Electric
Model	XEVH-0511-EPRM
Capacity	4 trays GN 1/1
Tray pitch	80 mm
Frequency	50 / 60 Hz
Voltage	380-415V 3N~ 220-240V 3~ 220-240V 1~
Electrical power	6,2 kW
Dimensions - w x d x h	800 x 740 x 1096 mm
Weight	136 kg
Price	Kr. 206 000,-

Optional
Hinge on the right side

Item
XEVH-0511-EPLM

Additional price
Kr. 4 690,-


Accessory models included



BLACK.40

Item

TG902



BLACK.FRY

Item

GRP818



STEEL.GRID

Item

GRP807



GRILL

Item

TG882



HYPER.Smoker

Item


XUC090



BAKERY.PURE

Item

XHC010



Built-in frame

Combi oven GN 1/1



	⚡ Electric
Model	XEVH-0511-EPRM-BL
Capacity	4 trays GN 1/1
Tray pitch	80 mm
Frequency	50 / 60 Hz
Voltage	380-415V 3N~ 220-240V 3~ 220-240V 1~
Electrical power	6,2 kW
Dimensions - w x d x h	800 x 740 x 1096 mm
Weight	136 kg
Price	Kr. 238 000,-

Optional
Hinge on the right side

Item	Additional price
XEVH-0511-EPLM-BL	Kr. 4 690,-


Accessory models included



BLACK.40

Item

TG902



BLACK.FRY

Item

GRP818



STEEL.GRID

Item

GRP807



GRILL

Item

TG882



HYPER.Smoker

Item


XUC090



BAKERY.PURE

Item

XHC010



Built-in frame

Accessories



Rack Model 1S

Oven support structure that ensures stability and safe maintenance.

Dimensions - w x d x h	750 x 611 x 892 mm	Weight	8 kg
Item	XEVH-0511-R1	Price	Kr. 5 190,-



FAKIRO.GRILL

Non-stick aluminium tray. Two cooking surfaces: ribbed for grilling, flat for different types of cooking.

Height	Item	Price
12 mm	TG872	Kr. 3 100,-



STEEL.GRID

Flat stainless steel grid

Height	Item	Price
8.5 mm	GRP807	Kr. 1 090



FORO.BLACK

Non-stick perforated aluminium tray.


Height	Item	Price
10 mm	TG892	Kr. 1 590,-



BLACK.40

Non-stick stainless steel tray

Height	Item	Price
40 mm	TG902	Kr. 1 490,-



BLACK.FRY

Non-stick stainless steel frying tray.

Height	Item	Price
40 mm	GRP818	Kr. 2 190,-



GRILL

Non-stick aluminium grilling tray. It does not require to be preheated before use.


Height	Item	Price
20 mm	TG882	Kr. 2 190,-



EGGS 6x2

Non-stick aluminium tray for 6 double-egg portions.

Height	Item	Price
16 mm	TG932	Kr. 1 790,-




ROMBO.GRILL

Non-stick aluminium tray with diamond grid.

Height	Item	Price
12 mm	TG990	Kr. 2 990,-


Accessories



STEAM

Perforated stainless steel steaming tray.

Height	Item	Price
40 mm	GRP815	Kr. 1 390,-



FORO.STEEL20

Perforated stainless steel tray.

Height	Item	Price
20 mm	TG810	Kr. 740,-
40 mm	TG820	Kr. 790,-
65 mm	TG830	Kr. 850,-



HYPER.Smoker

Natural wood chip smoker. An additional electric power supply is not required.

Item	Price
XUC090	Kr. 3 300,-



Cartridge for activated carbon filter

Replacement cartridge for activated carbon filters.

Item	Price
XUC115	Kr. 3 100,-



DET&Rinse™ CASA

Concentrated detergent with brightening action. Double concentrated (10 lt of DET & Rinse CASA = 18 lt of traditional oven cleaner)

Item	Price
1 box DB1020	Kr. 1 990,-




REFILL BAKERY.PURE

Replacement cartridge for PURE resin-based filtration system.

Item	Price
XHC011	Kr. 1 190,-

Services



COOK LIKE A CHEF

Exclusive Online Experience

Whether you're looking for guidance to cook a Sunday brunch for your family, prepare elegant and easy appetizers for a cocktail party or impress your special someone with the romantic gourmet dinner – our chefs will guide you step-by-step.



WARRANTY LONG.Life 7

Unox Casa ovens are covered by a 7-year warranty.

Up to 7 years / 10,000 hours on spare parts and up to 24 months/10,000 hours on labour.

UNOX CASA

GLOBAL
UNOX S.p.a
E-mail: info@unoxcasa.com
Tel: +39 049 7361209

UNOXCASA Scandinavia
Siljander AS
Salhussvingen 27
N-5107 Salhus
E-mail: post@siljander.no
www.siljander.no
Tel +47 55 53 44 00

EUROPE

IT - ITALIA
UNOX S.p.a
E-mail: info@unox.it
Tel: +39 049 736 0781

GB - UNITED KINGDOM
UNOX UK Ltd.
E-mail: info.uk@unox.com
Tel: +44 1252 851 522

CZ - ČESKÁ REPUBLIKA
UNOX DISTRIBUTION s.r.o.
E-mail: info.cz@unox.com
Tel: +420 241 940 000

BG - БЪЛГАРИЯ
UNOX BULGARIA
E-mail: info.bg@unox.com
Tel: +359 2 419 05 00

NL - NETHERLANDS
UNOX NETHERLANDS B.V.
E-mail: info.nl@unox.com
Tel: +31 70 700 6170

DE - DEUTSCHLAND
UNOX DEUTSCHLAND GMBH
E-mail: info.de@unox.com
Tel: +49 32 211121581

IE - IRELAND
UNOX IRELAND
E-mail: info.ie@unox.com
Tel: +353 (0) 87 32 23 218

HR - HRVATSKA
UNOX CROATIA
E-mail: narudzbe@unox.com
Tel: +39 049 86 57 538

AT - ÖSTERREICH
UNOX ÖSTERREICH GMBH
E-mail: info.de@unox.com
Tel: +43 1 206 092 068

PL - POLSKA
UNOX POLSKA Sp.zo.o.
E-mail: info.pl@unox.com
Tel: +48 22 104 17 01

FR - FRANCE, BELGIUM
& LUXEMBOURG
UNOX FRANCE S.a.s.
E-mail: info.fr@unox.com
Tel: +33 4 81 68 19 12

ES - ESPAÑA
UNOX PROFESIONAL
ESPAÑA S.L.
E-mail: info.es@unox.com
Tel: +34 932 20 36 52

TR - TÜRKİYE - UNOX TURKEY
Profesyonel mutfak ekipmanlari
endüstri ve ticaret limited şirketi
E-mail: info.tr@unox.com
Tel: +90 530 176 62 03

RU - РОССИЯ, ПРИБАЛТИКА
И СТРАНЫ СНГ
UNOX РОССИЯ
E-mail: info.ru@unox.com
Tel: +7 (499) 702 - 00 - 14

SC - SCANDINAVIAN
COUNTRIES
UNOX SCANDINAVIA AB
E-mail: info.se@unox.com
Tel: +46(0)790 75 63 64

PT - PORTUGAL
UNOX PORTUGAL
E-mail: info.pt@unox.com
Tel: +351 918 228 787

DK - DENMARK
UNOX DANMARK A/S
E-mail: info.dk@unox.com
Tel: +45 87 91 00 40

CH - SWITZERLAND
UNOX SWITZERLAND GMBH
E-mail: info.ch@unox.com
Tel: +41 43 508 61 70

AMERICA

US - U.S.A. & CANADA
UNOX Inc.
E-mail: info.usa@unox.com
Tel: +1 800 489 8669

AR - ARGENTINA
UNOX ARGENTINA
E-mail: info.ar@unox.com
Tel: +54 911 37 58 43 46

CO - COLOMBIA
UNOX COLOMBIA
E-mail: info.co@unox.com
Tel: +57 350 65 88 204

BR - BRASIL
UNOX BRASIL SERVICOS LTDA.
E-mail: info.br@unox.com
Tel: +55 11 98717-8201

MX - MÉXICO
UNOX MÉXICO,
S. DE R.L. DE C.V.
E-mail: info.mx@unox.com
Tel: +52 55 8116-7720

CA - CANADA
UNOX Canada Equipement
Professionnel Inc.
E-mail: orders.ca@unox.com
Tel: +1 800 489 8669

ASIA, OCEANIA & AFRICA

ZA - SOUTH AFRICA
UNOX SOUTH AFRICA
E-mail: info.za@unox.com
Tel: +27 845 05 52 35

PH - PHILIPPINES
UNOX PHILIPPINES
E-mail: info.asia@unox.com
Tel: +63 9173108084

AU - AUSTRALIA
UNOX AUSTRALIA PTY Ltd.
E-mail: info@unoxaustralia.com.au
Tel: +61 3 9876 0803

UZ - UZBEKISTAN
UNOX PRO LLC
E-mail: info.uz@unox.com
Tel: +998 90 370 90 10

KR - 대한민국
UNOX KOREA CO. Ltd.
이메일: info.kr@unox.com
전화: +82 2 69410351

AC - OTHER
ASIAN COUNTRIES
UNOX (ASIA) SDN. BHD
E-mail: info.asia@unox.com
Tel: +603-58797700

TW - TAIWAN,
HONG KONG & MACAU
UNOX TAIWAN
E-mail: info.tw@unox.com
Tel: +886 928 250 536

MY - MALAYSIA
& SINGAPORE
UNOX (ASIA) SDN. BHD
E-mail: info.asia@unox.com
Tel: +603-58797700

CN - 中华人民共和国
UNOX TRADING (SHANGHAI)
Ltd. CO.
电子邮件: info.china@unox.com
电话: +86 21 56907696

NZ - NEW ZEALAND
UNOX NEW ZEALAND Ltd.
E-mail: info@unox.co.nz
Tel: +64 (0) 800 76 0803

AE - U.A.E.
UNOX MIDDLE EAST DMCC
E-mail: info.uae@unox.com
Tel: +971 4 554 2146

ID - INDONESIA
UNOX INDONESIA
E-mail: info.asia@unox.com
Tel: +62 81908852999

IN - INDIA
UNOX INDIA PRIVATE LIMITED
E-mail: info.in@unox.com
Tel: +971 4 554 2146

VN - VIETNAM
UNOX INDOCHINA
E-mail: info.asia@unox.com
Tel: +84916560803

unoxcasa.com



Released 09-2024

Sales conditions: Packaging included - VAT excluded
All images used in this price list are for illustrative purposes only.